HOST-CHS Assessment tool – Transatrial repair of Tetralogy of Fallot with

SickKids Labatt Family Heart Centre

Transannular patch

| Steps | | | | | Weight of step (1-5) | Included in HOST-CHS Holistic Score | | |
|----------|-------|---|---|---|----------------------|--|--|--|
| 1 | , , , | | | | | | | |
| | 1 | Have placement sutures been placed on the MPA and at the pulmonary | Υ | N | 2 | KNOWLEDGE | | |
| | | annulus for exposure? | | | _ | | | |
| | 2 | Has an incision been made in the main pulmonary artery? (Pulmonary arteriotomy) | Υ | N | 3 | | | |
| | 3 | i) Is the incision made a safe distance (~2-4mm) above the sinotubular | Υ | N | 5 | RESPECT | | |
| | | junction? (i.e. avoiding damage to pulmonary valve) | | | | | | |
| | 4 | ii) Is the incision extended distally into one or both branch pulmonary arteries? | Υ | N | 4 | FLUENCY | | |
| | 5 | iii) Is the incision extended proximally into the pulmonary sinuses and across | Υ | N | 4 | FLUENCY | | |
| | | the pulmonary annulus? | | | | | | |
| | 6 | Does the incision continue into the right ventricular outflow tract? | Υ | N | 3 | FLUENCY | | |
| | 7 | i) Is this incision aligned with the RVOT? | Υ | N | 4 | KNOWLEDGE | | |
| | 8 | ii) Are all incisions clean? (i.e. not jagged or having sharp protruding points) | Υ | N | 3 | RESPECT | | |
| 2 | Reli | ef of right ventricular outflow tract obstruction | | | | | | |
| | 9 | Have the hypertrophic muscle bundles and fibroelastic tissue in the RVOT been resected? | Υ | N | 4 | KNOWLEDGE | | |
| | 10 | Has the candidate resected more through the incision in pulmonary trunk? | Υ | N | 2 | KNOWLEDGE | | |
| | 11 | Has the tricuspid valve or the pulmonary valve been damaged? | N | Υ | 5 | RESPECT | | |
| 3 | Tra | nsatrial closure of ventricular septal defect | | | | | | |
| | 12 | Is the patch a generous size that it would accommodate the overriding aorta? (compare with example in training video) | Υ | N | 4 | KNOWLEDGE | | |
| | 13 | Has the suture been commenced at deepest part of the VSD along the | Υ | N | 3 | FLUENCY | | |
| | | interventricular crest? | | | | | | |
| | 14 | i) Does the suture end continue up towards the aorta and around to the tricuspid annulus? | Υ | N | 3 | FLUENCY | | |
| | 15 | Is the other end continued towards the tricuspid annulus? | Υ | N | 3 | FLUENCY | | |
| | 16 | i) Are the sutures placed away from the conduction tissue (to the right) avoiding damage? | Υ | N | 5 | RESPECT | | |
| | 17 | Have mattress sutures been placed from the right atrium to suture the remaining patch? | Υ | N | 3 | | | |
| | 18 | Has the tricuspid valve or conduction been compromised or damaged? | N | Υ | 5 | RESPECT | | |
| | 19 | Have any of the sutures been caught in the tricuspid valve chords? | N | Υ | 5 | RESPECT | | |
| | | Suture assessment: | | | | | | |
| | 20 | i) Are all the sutures evenly spaced from one another WITH a gap of 2-3mm between suture bites? | Υ | N | 3 | FLUENCY | | |
| | 21 | ii) Are all the sutures an adequate distance from the tissue edge (2-3mm)? (except at the conduction) | Υ | N | 3 | FLUENCY | | |
| | | Patch assessment | | | | | | |
| | 22 | i) Are there any visible holes within the patch? | N | Υ | 4 | RESPECT | | |
| | 23 | ii) Does the patch appear the correct size for size of the defect? (i.e. not too | Υ | N | 4 | KNOWLEDGE | | |
| | | large or small? | | | | | | |
| 4 | | | | | | | | |
| | 24 | Has the patch been shaped as an oval shape to accommodate the defect? | Υ | N | 4 | KNOWLEDGE | | |
| | 25 | Is the suture commenced at the distal MPA/LPA and continued around the toe | Υ | N | 4 | FLUENCY | | |
| | 26 | and proximally along the incision? Has the patch been measured and trimmed to accommodate the length of the | Υ | N | 4 | KNOWLEDGE | | |
| | | defect before the suture is completed? | | | | | | |
| <u> </u> | 27 | Has the other suture end been continued to complete the anastomosis? | Υ | N | 3 | FLUENCY | | |

<u>HOST-CHS Assessment tool – Transatrial repair of Tetralogy of Fallot with Transannular patch</u>



| | | Suture assessment: | | | |
|------|------|--|---|---|--|
| | 28 | 28 i) Are all the sutures evenly spaced from one another WITH a gap of 2-3mm | | N | |
| | | between suture bites? | | | |
| | 29 | ii) Are all the sutures an adequate distance from the tissue edge (2-3mm)? | Υ | N | |
| | | (except at the conduction) | | | |
| 5 | Trai | ransannular patch assessment | | | |
| | 30 | Is the patch the correct shape for the defect? (i.e. likely to bulge if pressurised) | | N | |
| | 31 | 1 Are there any visible holes on the patch? | | Υ | |
| | 32 | Have any plication sutures been used to narrow the patch? | N | Υ | |
| TOTA | | | | | |

| 3 | FLUENCY | | | | |
|-----|-----------|--|--|--|--|
| 3 | FLUENCY | | | | |
| · | | | | | |
| 5 | KNOWLEDGE | | | | |
| 4 | RESPECT | | | | |
| 4 | FLUENCY | | | | |
| 118 | | | | | |